520 Rec'd PCT/PTO 2 8 JAN 2000

			520 RECOPCIFIN 20 VA		
Form PTO Rev. 5-93		OF COMMERCE PATENT AND TRADEMARK OFFICE HE UNITED STATES	ATTORNEY'S DOCKET NO. H 3033 PCT/US		
DESI	GNATED/ELECTED OFF CERNING A FILING UND	U.S. APPLICATION NO. (if known sec. 17 CFR 1.5)			
	NATIONAL APPLICATION NO. PEP98/04534	PRIORITY DATE CLAIMED July 28, 1997			
TITLE C	OF INVENTION VISCOSITY DISPERS	SION FOR PAPER OR TEX	TILE PROCESSING		
APPLIC Ans (CANT(S) FOR DO/EO/US gar Behler, Bernd Wal	hle, Ludwig Boenniger, Yv	vonne Reichert and Almud Folg		
Applica	nt herewith submits to the United S	tates Designated/Elected Office (EO/DO/U	JS) the following items and other information:		
1.		tems concerning a filing under 35 U.S.C. 3			
2. 🗆	This a SECOND or SUBSEQUE	INT submission of items concerning a filing	g under 35 U.S.C. 371.		
3. 🗆	examination until the expiration of	ational examination procedures (35 U.S.C. of the applicable time limit set in 35 U.S.C.	371(b) and PCT Articles 22 and 39 (1).		
4. ■	A proper Demand for Internation	al Preliminary Examination was made by the	he 19th month from the earliest claimed priority date.		
5. ■	a. □ is transmitted herewith (b. ■ has been transmitted by	cation as filed (35 U.S. C. 371(c)(2)). required only if not transmitted by the Inter the International Bureau. oplication was filed in the United States Re			
6. ■	A translation of the International Ap	oplication into English (35 U.S.C. 371(c)(2	2)).		
7. ■	a. are transmitted herewith have been transmitted by	nternational Application under PCT Article (required only if not transmitted by the Inte y the International Bureau. wever, the time limit for making such amer d will not be made.	ernational Bureau).		
8. 🗆	A translation of the amendments to	the claims under PCT Article 19 (35 U.S	s.C. 371(c)(3)).		
9. ■	An oath or declaration of the inven	tor(s) (35 U.S.C. 371(c)(4)). (UNEXE	CUTED)		
			ort under PCT Article 36 (35 U.S.C. 371(c)(5)).		
Items 11. ■	11. to 16. below concern other do An Information Disclosure Statem	ocument(s) or information included: ent under 37 CFR 1.97 and 1.98.			
12. 🗆	An assignment document for reco	rding. A separate cover sheet in compliand	ce with 37 CFR 3.28 and 3.31 is included.		
13. ■	A FIRST preliminary amendment A SECOND or SUBSEQUENT pr	eliminary amendment.			
14. 🗆	A substitute specification.				
	A change of power of attorney and	l/or address letter.			
15. 🗆					
15. □ 16. ■	Other items or information.:				

"Express Mail Post Office to Addressee" service Mailing Label Number <u>EL444424928US</u>.

420 Rec'd PCT/PTO 2 8 JAN 2000

U.S. Application No. (If known s	3 6 7 5		ATTORNEY'S DOCKET NUMBER H 3033 PCT/US					
17. The following fees Basic National Fe Search Report has been	are submitted: e (37 CFR 1.492(a)(1)-(5 prepared by the EPO or	CALCULATION	ONS	PTO USE ONLY				
	examination fee paid to U		\$670.00					
No international prelimina international search fee p	ary examination fee paid to paid to USPTO (37CFR 1	o USPTO (37 CFR 1.48 .445(a)(2))	32) but \$690.00					
Neither international prelinternational search fee	iminary examination fee ((37 CFR 1.445(a)(2)) pai	37CFR 1.482) nor d to USPTO	\$970.00					
International preliminary and all claims satisfied p	examination fee paid to Urovisions of PCT Article	SPTO (37CFR 1.482) 33(2)-(4)	\$96.00					
ENTER APPE	ROPRIATE BASIC	FEE AMOUNT	=	\$	840	00		
Surcharge of \$130.00 for furnismonths from the earliest claime	shing the oath or declarating priority date 37 (CFR 1	on later than	30	\$	0	00		
Claims	Number filed	Number Extra	Rate					
Total Claims	16 - 20 =	0	0 X \$18.00	\$	0	00		
Independent Claims	2-3=	0	0 X \$78.00	\$	0	00		
Multiple dependent claims (s)(i	f applicable)	0	+ \$260.00	\$	0	00		
TOTAL C	F ABOVE CALC	JLATIONS	=	\$	840	00		
Reduction by ½ for filing by sm be filed. (Note 37 CFR 1.9, 1.2		erified Small Entity state	ment must also	\$	0	00		
ē-		SUBTOTAL	=	\$	840	00		
Processing fee of \$130.00 for the months from the earliest claims			□ 30 +	\$	0	00		
	то	TAL NATIONAL	FEE =	\$	840	00		
Fee for recording the enclosed accompanied by an appropriate				\$	0	00		
	TO	TAL FEES ENC	LOSED =	\$	840	00		
				Amount t		\$		
,				charged		\$840.00		
a. A check in the amount of \$ to cover the above fees is enclosed. b. Please charge my Deposit Account No								
				6,296 EGISTRATI	NUN NC	IBER		

420 Rec'd PCT/PTO 2 8 JAN 2000 "Express Mail" mailing label number <u>EL444424928US</u>.

PATENT
Docket No. H 3033 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE:

PCT/EP98/04534

International Filing Date: July 20, 1998 Priority Date Claimed: July 28, 1997

Applicant: Behler, et al.

Title: LOW VISCOSITY DISPERSION FOR PAPER OR

TEXTILE PROCESSING

Applicants' Reference: H 3033 PCT/US

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Box PCT Washington, DC 20231

ATTN: DO/EO/US

Sir:

Preliminary to examination, please amend the instant application as follows.

In the Specification:

At page 1, before line 1, insert -- Background of the Invention --.

At page 1, line 11, delete "WO 96/08601", and insert --WO 96/05601--.

At page 2, line 11, insert --Brief Summary of the Invention--.

At page 2, line 21, insert --Detailed Description of the Invention--.

Enter a new page 18, submitted herewith, containing the Abstract of the Disclosure.

In the Claims:

Cancel claims 1-14, without prejudice.

Please enter the following new claims.

- 15. A composition for softening paper and textile substrates comprising:
 - (a) a nonionic component selected from the group consisting of a monoester of

glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof;

- (b) a polyol component;
- (c) a cationic emulsifier;
- (d) a nonionic emulsifier; and
- (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.
- 16. The composition of claim 15 wherein the composition has a Brookfield viscosity of from 1 to 100 mPas.
- 17. The composition of claim 15 wherein the nonionic component is present in the composition in an amount of from 1 to 14% by weight, based on the weight of the composition.
- 18. The composition of claim 15 wherein the nonionic component and the polyol component are present in the composition in a ratio by weight of from 2.0:1 to 1:1.
- 19. The composition of claim 15 wherein the polyol component is present in the composition in an amount of from 1 to 12% by weight, based on the weight of the composition.
- 20. The composition of claim 15 wherein at least 90% of particles present in the composition are smaller than 1000 nm.
- 21. The composition of claim 15 wherein the polyol component is a mixture of glycerol and polyethylene glycol.
- 22. The composition of claim 21 wherein the glycerol and polyethylene glycol are present in a ratio by weight of from 10:1 to 6:1.

- 23. A process for softening a paper and/or textile substrate comprising contacting the paper and/or textile substrate with a softening composition containing:
- (a) a nonionic component selected from the group consisting of a monoester of glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof;
 - (b) a polyol component;
 - (c) a cationic emulsifier;
 - (d) a nonionic emulsifier; and
- (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.
- 24. The process of claim 23 wherein the composition has a Brookfield viscosity of from 1 to 100 mPas.
- 25. The process of claim 23 wherein the nonionic component is present in the composition in an amount of from 1 to 14% by weight, based on the weight of the composition.
- 26. The process of claim 23 wherein the nonionic component and the polyol component are present in the composition in a ratio by weight of from 2.0:1 to 1:1.
- 27. The process of claim 23 wherein the polyol component is present in the composition in an amount of from 1 to 12% by weight, based on the weight of the composition.
- 28. The process of claim 23 wherein at least 90% of particles present in the composition are smaller than 1000 nm.
- 29. The process of claim 23 wherein the polyol component is a mixture of glycerol

and polyethylene glycol.

30. The process of claim 29 wherein the glycerol and polyethylene glycol are present in a ratio by weight of from 10:1 to 6:1.

Respectfully submitted,

Steven J. Trzaska (Reg. No. 36,296)

Attorney For Applicant(s)

(610) 278-4929

Cognis Corporation, Patent Dept. 2500 Renaissance Boulevard, Suite 200 Gulph Mills, PA 19406

SJT/ras G:\DATA\AMEND\H3033.PAM

ABSTRACT OF THE DISCLOSURE

A composition for softening paper and textile substrates containing: (a) a nonionic component selected from the group consisting of a monoester of glycerol and a C_{8-22} fatty acid, a diester of glycerol and a C_{8-22} fatty acid, and mixtures thereof; (b) a polyol component; (c) a cationic emulsifier; (d) a nonionic emulsifier; and (e) water, and wherein the nonionic component and polyol component are present in the composition in a ratio by weight of from 2.5:1 to 1:2.5.

10

15

20

25

PCT/EP98/04534

420 Rec'd PCT/PTO 2 8 JAN 2000

Low Viscosity Dispersion for Paper or Textile Processing

This invention relates to concentrated, low-viscosity aqueous dispersions for the treatment of paper and textiles, to a process for the production of these dispersions and to the use of the dispersions for the softening of paper and textiles.

For many paper and textile products, softness is an important Thus, consumers expect textiles or paper products, for requirement. example paper handkerchiefs, household towels or sanitary articles, to feel soft. Accordingly, numerous suitable compounds and compositions are known for the softening of paper and textiles. It is known from US 3,594,224 that certain quaternary ammonium compounds are suitable for improving the softness of cellulose fibers. WO 96/08601 proposes a polysiloxane-containing composition for treating tissue products which, besides polysiloxanes, also contains a polyhydroxy compound, such as polyethylene glycol or glycerol. WO 94/10381 describes mixtures of quaternary ammonium compounds and polyethylene glycol or polypropylene glycol for the softening of paper products and cellulose-containing fibers. EP 569 847 A1 describes alkoxylated natural oils and fats as active ingredients of fabric softener formulations. EP 494 769 A2 describes fabric softeners based on pentaerythritol esters. EP 698 140 B1 claims tissue paper treated with a three-component softener. Sorbitan fatty acid esters are used as the softening component. These compounds are formulated as aqueous dispersions and are suitably applied to the products. EP 698 140 B1 proposes nonionic emulsifiers, such as alkyl (oligo)glycosides or ethoxylated or propoxylated sorbitan esters in combination with selected polyhydroxy compounds, as a suitable emulsifier system.

However, the compositions mentioned above often contain only up to 10% by weight of active substances because dispersions with higher

10

15

20

25

30

concentrations can also have a greatly increased viscosity which makes direct processing, for example by spraying onto textile or paper webs, difficult or even impossible. Highly concentrated dispersions also tend to separate or break up more quickly and show reduced stability in storage.

Accordingly, the problem addressed by the present invention was to provide concentrated, but low-viscosity compositions in the form of aqueous dispersions for the softening of paper and textiles.

It has been found that dispersions containing a selected softener combination based on glycerol and derivatives thereof satisfy the lowviscosity and high-stability requirements mentioned above.

Accordingly, the present invention relates to concentrated, low-viscosity aqueous dispersions for the softening of paper and textiles which contain

- a) a nonionic softener component selected from monoesters or diesters of glycerol with C₈₋₂₂ fatty acids and mixtures thereof,
- b) a polyol compound,
- c) cationic and nonionic emulsifiers,
- d) 70 to 90% by weight water

and optionally other auxiliaries and additives, the ratio by weight of component a) to component b) being from 2.5:1 to 1:2.5.

The dispersions according to the invention are low-viscosity dispersions, i.e. they preferably have a Brookfield viscosity in the range from 1 to 100 mPa·s and more particularly in the range from 1 to 50 mPa·s, as measured at 20°C (spindle 1, 20 r.p.m.). Dispersions with a viscosity below 10 mPa·s are particularly preferred. The water content is between 70 and 90% by weight, dispersions containing less than 80% by weight water being preferred. The dispersions are fine-particle storage-stable dispersions and may be directly applied to the paper or to the textiles. There is no need for additional dilution or other conditioning.

The dispersions are generally suitable for the softening of paper or

10

15

20

25

30

textiles. They may be used both for permanent softening and also for temporary softening. Thus, the dispersions may be used during the production or finishing of paper products or textiles or as an aftertreatment or fabric softener in washing machines or institutional laundries or as a tumbler aid.

In the context of the present invention, textiles are understood to be any textile piece goods which contain synthetic or natural fibers, for example wool, cotton, polyamide, polyester or polyacrylic fibers or blends of these fibers. However, the textile fibers themselves may be treated with the dispersions. Besides paper and paper products, cellulose-containing fibers, for example chemical and mechanical pulp fibers, and fleeces or nonwovens of these fibers may also be treated with the dispersions. The dispersions are preferably used for the softening of paper and paper products, including for example tissue paper which is used in the manufacture of handkerchiefs, kitchen or household towels, and sanitary articles, such as tampons, toilet paper and diapers.

In the treatment of paper or textiles, any processes known to the expert for applying liquid treatment compositions may be used, including for example print coating, spray coating, slop-padding, padding, size press coating, air-jet coating, air-knife coating, roll coating or gravure coating. To this end, textile or paper webs are generally contacted with the dispersions in suitable machines in which the dispersions are applied to the textile or to the paper in suitable quantities. Textiles may also be treated by absorption processes in which the textile remains in the aqueous dispersion and the active substances are absorbed onto the fibers. The dispersions may even be used in heated form, i.e. at temperatures of up to 80°C.

So far as the finishing of paper/paper products is concerned, processes of the type in question are described, for example, in Handbook of Paperboard and Board, R.R.A. Higham, BB Ltd, London 1970, pages 142 to 169 and, for textiles, in Veredelung von Textilien, VEB

10

15

20

25

30

Fachbuchverlag Leipzig 1990, pages 193 to 228.

The dispersions contain monoesters or diesters of glycerol with C₈₋₂₂ fatty acids, which may be linear or branched, saturated or unsaturated, as the nonionic softening component a). Glycerol esters based on saturated linear fatty acids, for example lauric acid, myristic acid, palmitic acid, stearic acid, arachic acid or behenic acid or mixtures thereof, are particularly suitable. The monoglycerides or diglycerides may also be used in the form of the mixtures accumulating in the industrial-scale production process. The glycerides may also be present in mixtures of mono- and diglycerides. However, dispersions containing at least 60% by weight of diglycerides, based on the softener component a), are preferred. The dispersions contain the nonionic softener component a) in quantities of preferably 1 to 14% by weight, dispersions containing the softener in quantities of 5 to 10% by weight being particularly preferred.

The dispersions contain at least one polyol compound b) as another key ingredient in such quantities that the ratio by weight of the nonionic softener component to the polyol compound is in the range from 2.5:1 to 1:2.5 and preferably in the range from 2.0:1 to 1:1. A polyol compound in the context of the present invention is understood to be an organic compound containing at least two carbon atoms and at least two hydroxyl groups in the molecule, the hydroxyl groups not being derivatized. Suitable polyol compounds are, for example, glycerol and dimers or trimers thereof, glycols and polymers thereof, pentaerythritol, di- and trimethylol propane,

The dispersions preferably contain glycerol, diethylene glycol, polyethylene glycol or 1,2-propylene glycol and mixtures thereof as the polyol compound. Other preferred dispersions are those which contain polyethylene glycol with an average molecular weight in the range from 200 to 1000 and preferably in the range from 200 to 600.

sorbitan, mannitol, xylitol, glucose, mannose or fructose.

The percentage content of polyol compounds b) is preferably in the

range from 1.0 to 12.0% by weight and more preferably in the range from 5 to 10% by weight. Mixtures of glycerol with polyethylene glycol are particularly suitable, mixtures in which the ratio by weight of glycerol to polyethylene glycol is from 10:1 to 6:1 being particularly preferred. The glycols are present in quantities of preferably 0.1 to 2.0% by weight and more preferably 0.1 to 1.0% by weight.

The dispersions according to the invention contain a system of cationic and nonionic emulsifiers as emulsifiers c) for the nonionic softeners. Particularly suitable nonionic emulsifiers are fatty acids and fatty alcohols or derivatives thereof, particularly reaction products thereof with alkylene oxides, such as ethylene oxide, propylene oxide and/or butylene oxide. Preferred cationic emulsifiers are compounds containing at least one cationically charged nitrogen atom.

Suitable cationic emulsifiers are preferably selected from the group of quaternary ammonium compounds corresponding to formulae (I) and (II):

25

30

5

10

15

in which R is an acyclic alkyl group containing 12 to 24 carbon atoms, R^1 is a saturated C_{1-4} alkyl or hydroxyalkyl group, R^2 has the same meaning as R or R^1 and COR^3 stands for an aliphatic acyl group containing 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds and R^4 is hydrogen or OH, n has a value of 1, 2 or 3 and X is a halide, methosulfate, methophosphate or

10

15

20

25

C₁₆₋₁₈ alkyl groups are particularly preferred.

Examples of cationic emulsifiers corresponding to formula (I) are didecyl dimethyl ammonium chloride, ditallow dimethyl ammonium chloride or dihexyldecyl dimethyl ammonium chloride. Examples of compounds corresponding to formula (II) are methyl-N,N-bis(acyloxyethyl)-N-(2-hydroxyethyl)-ammonium methosulfate, methyl-N-(2-hydroxyethyl)-N,N-di(tallowacyloxyethyl)ammonium methosulfate and bis-(palmitoyl)-ethylhydroxyethyl methyl ammonium methosulfate. Besides the compounds of formulae (I) and (II), short-chain water-soluble quaternary ammonium compounds, for example trihydroxyethyl methyl ammonium methosulfate or cetyl trimethyl ammonium chloride, may also be used. Protonated alkylamine compounds which have a softening effect are also suitable.

If quaternized compounds of formula (II) containing unsaturated alkyl chains are used, those acyl groups are preferred of which the corresponding fatty acids have an iodine value in the range from 5 to 25, preferably in the range from 10 to 25 and more preferably in the range from 15 to 20 and which have a cis/trans isomer ratio (in % by weight) of 30:70, preferably greater than 50;50 and more preferably greater than 70:30.

Besides the quaternary compounds described above, other known compounds, for example quaternary imidazolinium compounds corresponding to formula (III):

30

20

25

in which R⁵ is a saturated alkyl group containing 12 to 18 carbon atoms, R⁶ is an alkyl group containing 1 to 4 carbon atoms or hydrogen and Z is an NH group or oxygen and A is an anion,

5 may also be used.

Other suitable quaternary compounds correspond to formula (IV):

in which the substituents R^7 selected independently of one another represent a C_{1-4} alkyl, alkenyl or hydroxyalkyl group, the substituents R^8 selected independently of one another represent a C_{8-28} alkyl group and n has a value of 0 to 5. X stands for an anion, for example a halide, methosulfate, methophosphate or phosphate ion. The dispersions according to the invention contain the cationic emulsifiers in quantities of preferably 0.5 to 3.0% by weight and more preferably 1.0 to 2.0% by weight.

In addition, the dispersions contain nonionic emulsifiers, preferably from the group of alkoxylated fatty acids containing 8 to 22 carbon atoms, alkoxylated fatty acid esters of fatty acids containing 8 to 22 carbon atoms with monohydric alcohols containing 1 to 10 carbon atoms and alkoxylated fatty alcohols containing 8 to 22 carbon atoms, the alkoxylated compounds having HLB values of 3 to 20 and preferably in the range from 8 to 16. The HLB (hydrophilic/lipophilic balance) value is a measure of the water or oil solubility of nonionic surfactants (cf. Römpp Chemie Lexikon, Vol. 3, 9th Edition 1990, pages 1812-13). It is defined by the following equation:

$$HLB = 20\left(1 - \frac{VZ}{SZ}\right)$$

10

15

20

25

30

where AV is the acid value and SV is the saponification value of the corresponding compound.

The fatty acid ester alkoxylates are known compounds which are described, for example, in US 2,678,935, US 3,539,518, US 4,022,808 and GB 1,050,497, of which the disclosures also form part of the present application.

The alkoxylated fatty acid esters may be prepared by any of the methods known to the expert, for example by esterification of fatty acids with alkoxylated methanol, as described for example in US 3,539,518. Another method comprises directly reacting fatty acid esters with alkylene oxides in the presence of transition metal catalysts, as described in US 4,022, 808. However, the fatty acid alkyl ester alkoxylates are preferably produced by the heterogeneously catalyzed direct alkoxylation of fatty acid alkyl esters with ethylene oxide and/or propylene oxide on hydrophobicized hydrotalcites. These synthesis processes are described in detail in WO 90/13533 and WO 91/15441, of which the disclosure is also part of the present application. The products formed are distinguished by a low OH value. The reaction is carried out in a single stage and gives light-colored products. The fatty acid alkyl esters used as starting materials may be obtained from natural oils or fats or may be synthetically produced.

Examples of particularly suitable nonionic emulsifiers are C_{12-18} fatty alcohols containing 7 to 14 moles of ethylene oxide per mole of alcohol and cetyl/stearyl alcohol containing 20 moles of ethylene oxide and C_{12-18} fatty acids or fatty acid esters with C_{1-4} alcohols which contain between 8 and 16 moles of ethylene oxide per mole of fatty acid or ester.

Other suitable nonionic emulsifiers are selected from the group of alkyl (oligo)glycosides corresponding to the formula R-O- $[Z]_x$, where R is an alkyl group containing 8 to 22 carbon atoms, Z is a sugar unit containing 5 or 6 carbon atoms and x is a number of 1 to 10. Alkyl (oligo)glycosides, their production and their use as surfactants are known, for example, from

10

15

20

25

30

DE 19 43 689 A1 and from DE 38 27 543 A1.

So far as the glycoside unit is concerned, both monoglycosides where a sugar unit is attached to the fatty alcohol by a glycoside linkage and oligomeric glycosides with a mean degree of oligomerization of up to about 2 are particularly suitable. In commercially available alkyl oligoglycosides, the glucoside unit is present as the glycoside.

The percentage content of nonionic emulsifiers is preferably between 0.1 and 3.0% by weight and more preferably between 0.5 and 1.5% by weight.

The dispersions contain water in quantities of 70 to 90% by weight as solvent d). Deionized water is preferably used, although tap water may also be used. The pH value of the dispersions is preferably in the range from 4.5 to 7.5 and more preferably in the range from 5.0 to 6.5 and may be adjusted by addition of suitable acids, for example HCI, or bases, such as aqueous sodium hydroxide solution.

Besides the described ingredients a) to d), the dispersions according to the invention may contain other auxiliaries and additives typically encountered in the treatment of paper and textiles, including for example biocides, preservatives, dyes, pearlizers, defoamers, soil-release compounds, UV filters, perfume oils and fragrances and other additives obtained from native sources, for example vitamins or plant extracts.

The described dispersions may be prepared by any methods known to the expert. However, the nonionic softener and the cationic emulsifier are preferably added together to a mixture of the other components (nonionic emulsifier, glycerol and water and optionally auxiliaries and additives). Depending on the melting points of the individual components, it may be necessary to heat the mixtures, generally to temperatures of 40 to 80°C. The crude dispersion is then intensively mixed.

The dispersions are fine-particle dispersions and contain at least 90% (number distribution) of particles smaller than 1000 nm and preferably

10

15

20

smaller than 500 nm in size. Accordingly, it is only possible to use homogenizers which are capable of transmitting sufficiently powerful shear forces in order to obtain the fine-particle dispersions required. Suitable homogenizers are, for example, high-pressure or ultrasonic homogenizers.

It has been found that the use of certain homogenizers leads to dispersions having particularly advantageous properties.

Accordingly, the present invention also relates to a process for the production of the dispersions described above, in which components a) to c) and the auxiliaries present, if any, are first dispersed in water and the crude dispersion obtained is subsequently homogenized under pressures of 10 to 600 bar in a high-pressure homogenizer known to the expert (for example of the type manufactured by APV Homogenisator GmbH, Lübeck). In this case, it is particularly preferred to carry out homogenization under pressures of 25 to 250 bar.

As is normally the case where high-pressure homogenizers are used, the crude dispersion is homogenized first under low pressures, i.e. in the range from 10 to 50 bar, and then under higher pressures above 50 bar. It can be of advantage to homogenize the dispersions several times under different pressures. In another preferred embodiment, the homogenization treatment is carried out at temperatures in the range from 20 to 100°C and preferably in the range from 25 to 70°C. Depending on the auxiliaries and additives used, therefore, it may even be preferred to add them to the dispersions after homogenization.

25

30

Examples

Three different dispersions were prepared by initially melting the nonionic softener with the cationic emulsifier at 70°C. The resulting melt was then added to the other components which had been introduced into a stirred tank reactor at 70°C, followed by stirring for 15 minutes. The crude dispersion thus obtained was cooled to room temperature and then

homogenized in a high-pressure homogenizer (manufacturer: APV Homogenisator GmbH, Lübeck, Model LAB 60/60) at 40°C once under a pressure of 50 car and twice under a pressure of 200 bar. The pH value of the dispersion was 5.5.

Only dispersion 1 according to the invention has the low viscosity required, comparison dispersions 2 and 3 having a high viscosity which was impossible to measure.

The composition of concentrates 1 to 3 is shown in Table 1:

10 Table 1 (quantities in % by weight active substance)

	1,2	24.2	23 NE
Glycerol di-C _{16/18} -fatty acid ester	9.7	10.6	12
Glycerol	4.8	2.7	2.5
Polyethylene glycol MW 400	0.5	0.5	0.5
Dehyquart Au 46	1.4	1.5	1.4
Stantex S 6030	0.9	1.8	1.6
Ratio by weight of softener to glycerol	1.8:1	3.3:1	4.0;1
Viscosity [mPa·s]**	12.5	n.d.*	n.d.*

- * not determined because the dispersion could not be homogenized at 40°C
- 15 ** Brookfield, spindle 1, 20°C, 20 r.p.m. (RVF viscosimeter manufactured by Brookfield Eng. Ltd.)

Dehyquart Au 46 methyl-N,N-bis-(acyloxyethyl)-N-(2-hydroxyethyl)-ammonium methosulfate (Henkel)

20 Stantex S 6030 ethoxylated methyl laurate containing 12 parts of ethylene oxide (Henkel).

420 Rec'd PCT/PTO 2 8 JAN 2000

WO 99/05246

5

10

15

15

PCT/EP98/04534

Amended claims

A concentrated low-viscosity aqueous dis 1. textiles and paper containing

a nonionic softener component selected fi of glycerol with C₈₋₂₂ fatty acids and mixture

article 34

arnex
(English Translation):s

- a polyol compound, b)
- cationic and nonionic emulsifiers, c)
- 70 to 90% by weight water and optionally other auxiliaries and additives, the ratio by weight of component a) to component b) being from 2.5:1 to 1:2.5,

characterized in that cationic emulsifiers are present in quantities of 0.5 to 3.0% by weight.

- A dispersion as claimed in claim 1, characterized in that it has a 2. Brookfield viscosity, as measured at 20°C (spindle 1, 20 r.p.m.), in the range from 1 to 100 mPa·s and preferably in the range from 1 to 50 mPa·s.
- A dispersion as claimed in claim 1 or 2, characterized in that the 3. polyol compound is selected from glycerol, diethylene glycol, polyethylene glycol and 1,2-propylene glycol or mixtures thereof.
- A dispersion as claimed in any of claims 1 to 3, characterized in that the cationic emulsifiers used are quaternary ammonium compounds corre-20 sponding to formulae (I) and (II):

30

in which R is an acyclic alkyl group containing 12 to 24 carbon atoms, R¹ is a saturated C₁₋₄ alkyl or hydroxyalkyl group, R² has the same meaning as

R or R¹ and COR³ stands for an aliphatic acyl group containing 12 to 22 carbon atoms and 0, 1, 2 or 3 double bonds and R⁴ is hydrogen or OH, n has a value of 1, 2 or 3 and X is a halide, methosulfate, methophosphate or phosphate ion.

- 5 5. A dispersion as claimed in any of claims 1 to 4, characterized in that the nonionic emulsifiers present are alkoxylated fatty acids containing 8 to 22 carbon atoms, alkoxylated fatty acid esters of fatty acids containing 8 to 22 carbon atoms with alcohols containing 1 to 10 carbon atoms and/or alkoxylated fatty alcohols containing 8 to 22 carbon atoms, the alkoxylated compounds having HLB values of 3 to 20.
 - 6. A dispersion as claimed in any of claims 1 to 5, characterized in that the nonionic softener component a) is present in quantities of 1 to 14% by weight and preferably in quantities of 5 to 10% by weight.
 - 7. A dispersion as claimed in any of claims 1 to 6, characterized in that the nonionic emulsifier is present in quantities of 0.1 to 3.0% by weight.
 - 8. A dispersion as claimed in any of claims 1 to 7, characterized in that a mixture of glycerol and polyethylene glycol is present as component b).
 - 9. A dispersion as claimed in claim 8, characterized in that the ratio by weight of glycerol to polyethylene glycol is between 10:1 and 6:1.
- 10. A process for the production of the dispersions claimed in claim 1, characterized in that components a) to c) and the auxiliaries present, if any, are dispersed in water and the crude dispersion obtained is subsequently homogenized under pressures of 10 to 600 bar in a high-pressure homogenizer.
- 25 11. A process as claimed in claim 10, characterized in that the crude dispersion is homogenized under pressures of 25 to 250 bar.
 - 12. The use of the dispersions claimed in claim 1 for the softening of paper.
- 13. The use of the dispersions claimed in claim 1 for the softening of textile piece goods.

14. The use of the dispersions claimed in claim 1 as fabric softeners.



PTO/SB/01 (6-95) Approved for use through: 10/31/98 OMB 0651-0032

Type a plus sign (+) inside this b	0X → L	i atent and maderna:	KOffice; U.S. DEPARTA	VEH OF COMMENCE					
0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number	H 3033 PCT/US						
DECLARA ⁻	TION FOR	First Named Inventor	Behler, Ansgar						
UTILITY OI	R DESIGN	C	COMPLETE IF KNO	WN					
PATENT API	PLICATION	Application Number	09/463,675						
		Filing Date	05/12/2000						
Declaration O	R X Declaration Submitted after	Group Art Unit		-					
with Initial Filing	Initial Filing	Examiner Name							
I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled: LOW VISCOSITY DISPERSION FOR PAPER OR TEXTILE PROCESSING (Title of the Invention) is attached hereto OR X was filed on (MM/DD/YYYY) O7/20/1998 as United States Application Number or PCT International Application Number PCT/EP98/04534 and was amended on (MM/DD/YYYY) (if applicable).									
amendment specifically referred to abo	ove.	e identified specification, including the cli							
I hereby claim foreign priority benefits un certificate, or §365(a) of any PCT Intern and have also identified below, by check having a filing date before that of the app	ational application which designated a ing the box, any foreign application fo	at least one country other than the United	d States of Amenca, listed below	v					
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY	Priority Certif Not Claimed YE	ied Copy Attached? S NO					
197 32 396.0	DE	07 <i>/</i> 28/1997		X					
		pplemental priority sheet attache							
I hereby claim the benefit under				stea pelow.					
Application Number(s) Burden Hour Statement: This form is estima	Filing Date (MM/DD/YY)		Additional provisional application numbers are listed on a supplemental priority sheet attached hereto.						

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231.

DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

"Express Mail Post Office to Addressee" service Mailing Label Number EL 541613063US

DECLARATION

Page 2


I hereby claim designating th prior United S duty to disclos the filing date	ne United St states or PC se informati	ates of Ameri T internations on which is m	al application in aterial to pate	w and n the r ntabili	, insofar as nanner pro ty as define	s the sub wided by ed in Titl	ject matter the first pa le 37, Code	of ead ragra of Fe	ch of the clain ph of Title 35, deral Regulati	ns of this ap United Sta	plication intestion	is not (§112.1	disclosed Lacknow	l in the ledge the
U.S. Parent Application PCT									ng Date		Parent Patent Number			
	Number		ı	Num	ber		(MM/	DD/	YYYY)		(if applicable)			
			PCT/EP9	98/04	1534	(07/20/19	98						
Additio	onal U.S. or	PCT internati	onal application	on nun	nbers are l	isted on	a suppleme	ental p	nority sheet a	ttached he	reto.			y=
As a named in Trademark O	nventor, I he ffice connec	reby appoint ted therewith	the following a :	ttorne	y(s) and/o	agent(s) to prosecu	ute thi	s application	and to trans	sact all bu	siness	in the Pa	atent and
Firm N	lame								Customer Number	or lebel				
OR	· •	and/or agent	(s) name and	l regis	stration nu	ımber b	elow;							
		Name			Registra					Name			Registra Num	
John E. Drach Steven J. Trzaska Henry E. Millson, Jr.					32,891 36,296 18,980									
Addition	onal attorn	ey(s) and/or	agent(s) nan	ned o	n a suppie	emental	sheet atta	ched	hereto.					
Please direct corresponde			Custo Numb		or label			OF			Fill in correspondent address below			idence
Name		E. Drach												
Address			ation - Pate											
Address		• •	nce Boulev	ard,	Suite 20	0			1					
City Country	USA	h Mills		т:	Talaabaa			ate	<u>PA</u>					19406
I hereby dec			made herein		<u>Felephor</u>		610-278			Fa			0-278-0	5548
belief are be like so made willful false s	lieved to be are punisl statements	true; and for nable by fine may jeopard	urther that the or imprisonr lize the validi	ese st nent,	atements or both, u	were m	ade with thection 1001	he kn 1 of T	owledge that itle 18 of the	t willful fal	se statem	ents	and the	ch
Name of	Sole or F	irst Inven	tor:			_			A petitio	n has bee	n filed for	this (unsigned	į
Given Name	/\1193.QDB				Middle Initial		Family BEHLER Name					Suffix e.g. Jr.		
Inventor's Signature	A	1820	Jan	لمر						Date	021	At,	400	·—)
Residence: City	Residence: Bottrop						Cou	ntry	Germany	(AX	Citizensl	\neg	Germai	
Post Office	Address	Siegfried	strasse 80	****						~				
Post Office	Address													
City 46	240 Bottr	op	State	T	Zip	T	Cou	ntry	Germany	,	Applicant			
X Ad	ditional in	ventors are	being nan	ned o	n supple	ementa	i sheet(s)) atta	ched here	to	Authority	1		



Herry grant which there that the

Type a plus	sign (+) ins	ide this box						(I) H	1 3033 PC	CT/US
• /		DECLA	RAT	ION			ADDITION Supple	AL INVENTOR mental Sheet	(S)	
Name of	Additiona	I Joint Invent	or, if any	<i>"</i> :	☐ A p	etition	has been filed	d for this unsig	this unsigned inventor	
Given Name	Bernd			Middle Initial		amily lame	WAHLE		Suffix e.g. Jr.	
Inventor's Signature	1-	M	<u> </u>			Date O21.	17/00)		
Residence: City	Kaa			State		Country	Germany	Citizenship	German	ny
Post Office	Address	Am Heidt 24	· · · · · · · · · · · · · · · · · · ·		<u> </u>					
Post Office	Address									
City 41	1564 Kaars	t	State	Zip		Country	Germany	Applicant Authority		
Name of	Additiona	l Joint Invent	or, if any	<i>/</i> :	□ A r	etition	has been file	d for this unsig	gned inve	ntor
Given Name	Ludwig	L		Middle Initial		amily Name	BOENNIGE	₹ .	Suffix e.g. Jr.	
Inventor's Signature	Zu	du is	Ri	`nn!	92			Date O2/	17/00)
Residence: City	Ken	npen /	_ 	State (Country	Germany /	Citizenship	German	у
Post Office	Address	Ziegelheide 1	7		1 1			f		
Post Office	Address									
City 47	7906 Kemp	en	State	Zip		Country	Germany	Applicant Authority		
Name of	Additiona	al Joint Invent	or, if any	<i>/</i> :	□ A;	etition	has been file	d for this unsig	ned inve	ntor
Given Name	Yvonn	e		Middle Initial	F	amily Name	REICHERT		Suffix e.g. Jr.	
Inventor's Signature	420	ene X	eid.	a.		<u>+</u>		Date O2/	17/00)
Residence: City	7	feld		State		Country	Germany	Citizenship	German	
Post Office	Address	Kolpingstrass	e 27							
Post Office	Address					7 1				
City 47	7829 Krefe	ld	State	Zip		Country	Germany	Applicant Authority		
Name of	Additiona	al Joint Invent	or, if any	<i>y</i> :	□ Ai	petition	has been file	d for this unsi	gned inve	ntor
Given Name	Almud			Middle Initial	Ti	amily Name	FOLGE	>	Suffix e.g. Jr.	
Inventor's Signature	Alm	nud Tol	Ox					Date 021.	17/00	
Residence: City		ngenfeld		State		Country	Germany	Citizenship	German	у
Post Office	Address	Locher Weg 3	7	<u> </u>						
Post Office Address										
Post Office	Audiess									
	0764 Lange	enfeld	State	Zip		Country	Germany	Applicant Authority		

United States Patent & Trademark Office Office of Initial Patent Examination -- Scanning Division



Application deficienci	es were foun	id during scanning:	
Page(s) 12 the for scanning.	UN Hof	Specification (Document title)	were not present
Pagers)for scanning.	of	(Document title)	were not present
☐ Scanned copy is	best availabl	ie.	